



This product, formerly sold by ams AG, and before that optionally by either Applied Sensors GmbH, acam-messelectronic GmbH or Cambridge CMOS Sensors, is now owned and sold by

SciSense

The technical content of this document under ams / Applied Sensors / acam-messelectronic / Cambridge CMOS Sensors is still valid.

Contact information

Headquarters:

Sciosense B.V.

High Tech Campus 10

5656 AE Eindhoven

The Netherlands

info@sciosense.com

www.sciosense.com



ams AG
Tobelbader Strasse 30
A – 8141 Premstaetten, Austria
T. +43.3136.500.49048
www.ams.com

Certificate of RoHS and HF Compliance

TDC-GP30

This is to certify that our product(s) listed on page two fully comply with below RoHS directives:

EU RoHS Compliance. As declared per Directive 2011/65/EU, quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium.

EU RoHS Phthalates Content. As declared per amendment EU 2015/863, RoHS Phthalates: Bis(2-Ethylhexyl) Phthalate (DEHP), Benzyl Butyl Phthalate (BBP), Dibutyl Phthalate (DBP), and Diisobutyl Phthalate (DIBP), are added in the list of restricted substances with limits of 0.1% by mass (1000 PPM) on the homogeneous material level.

China RoHS. Hazardous substances similar to EU RoHS do not exceed concentration limits, quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium.

中国RoHS。与欧盟RoHS类似的有害物质在以下均质材料中的质量不超过浓度限制——0.1% (1000 PPM)数量限制：铅(Pb)、汞、六价铬、多溴联苯、多溴二苯醚，均质镉材料质量(100 PPM)的0.01%数量限制。

Halogen Free (HF). Chemical substances chlorine and bromine do not exceed the threshold limits of 0.09% by mass (900 PPM) each, and the sum of these substances does not exceed the limit of 0.15% by mass (1500 PPM).

无卤 (HF) 检测。化学物质氯和溴在材料中的质量分别都不超过 0.09% (900 PPM) 的阈值限制，这些物质的总和也不超过 0.15% (1500 PPM) 的阈值限制。

The information provided in this statement represents ams AG knowledge and belief as of the date that it is provided. ams AG bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy and shall have no liability for the consequences of use of such information. ams AG has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. ams AG and its suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.



Ordering Code	Material Number
TDC-GP30YA	502030011 (TDC-GP30YA 1K QFN40 LF T&R)
TDC-GP30YA	502030004 (TDC-GP30YA 3K QFN40 LF T&R)
TDC-GP30YA-F01	502030013 (TDC-GP30YA-F01 1K QFN40 LF T&R)
TDC-GP30YA-F01	502030007 (TDC-GP30YA-F01 3K QFN40 LF T&R)
TDC-GP30YD	502030010 (TDC-GP30YD 1K QFN32 LF T&R)
TDC-GP30YD	502030003 (TDC-GP30YD 3K QFN32 LF T&R)
TDC-GP30YD-F01	502030012 (TDC-GP30YD-F01 1K QFN32 LF T&R)
TDC-GP30YD-F01	502030005 (TDC-GP30YD-F01 3K QFN32 LF T&R)